The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24546

Stream : St. Joseph River

Applicant : City of South Bend

Carl P Littrell, PE

1316 County-City Building 227 West Jefferson Boulevard South Bend, IN 46601-1830

Description : A 1.63 mile bicycle/pedestrian trail is proposed. Two seating nodes and one

parking node are also proposed. Revetment riprap will be used for slope stabilization at Node E and as outlet protection at Structure 14. A total of approximately 413 tons of riprap will be used at Node E. Additional fill including riprap and backfill will be required along other portions of the trail. A modular block retaining wall and a sheet pile wall are proposed as well. A crosswalk near Pinhook Park, Cleveland Road, Eastmont, and Viking Drive are also proposed. Riverside Drive modifications including minor HMA widening will be required. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans

received at the Division of Water on October 11, 2007.

Location : Beginning approximately 150' north of the Oakwood Boulevard and Riverside

Drive intersection and extending 8000' north to a point 90' southwest of the southwest corner of the west abutment of the Darden Street Pedestrian Bridge DOWNSTREAM: near South Bend, Portage Township, St. Joseph County NW¼, NE¼, NW¼, Section 35, T 38N, R 2E, South Bend West Quadrangle

Quad Code: 4108663

UTM Coordinates: Downstream 4617572 North, 560848 East UPSTREAM: at South Bend, German Township, St. Joseph County

NW1/4, NE1/4, SW1/4, Section 23, T 38N, R 2E, South Bend West Quadrangle

Quad Code: 4108663

UTM Coordinates: Upstream 4620015 North, 560773 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24556

Stream : Jim Run

Applicant : Patrick Dwyer

PO Box 171

Metamora, IN 47030-0171

Description

A 9' diameter by 20' long metal culvert bridge has been constructed 40' from the confluence with Duck Creek. The culvert is tied down by 12" poured concrete walls reinforced with 5/8" rebar set onto 36" deep by 36" wide reinforced footers. Walls are set back from each end of the culvert creating a 16.5' wide gravel entry lane which is 33' in length. The north walls are 12'5" at the west end of the culvert and 8' at the east end of the culvert. The south walls are 8'3" at the west end of the culvert and 6' at the east end of the culvert. Tie down walls are vertically reinforced with 5/8" rebar every 4' and wired together horizontally every 2'. Tie down walls are drawn together with 5/8" wire cable into 5/8" eye bolt on reinforced metal bar at 3', 5', and 7' above footer level. The culvert is bolted (from inside into concrete) to the wall every 2' with a 1/2" by 12" anchor bolts. The culvert has been backfilled with bank run to an elevation of 10.5' above the creek bed at the center of the culvert and level with the 6' bank height on both sides. Specific project information will be added and modified to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on October 19, 2007.

Location

: 18193 Duck Creek Road, approximately 40' upstream of the confluence with Duck Creek and 60' west of the Duck Creek Road crossing over Duck Creek near Metamora, Blooming Grove Township, Franklin County

NW¼, SW¼, NW¼, Section 19, T 12N, R 12E, Miami Quadrangle

Quad Code: 4008651

UTM Coordinates: Downstream 4371630 North, 661000 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : NW-68

Stream : St. Joseph River

Applicant : Judy Hinsey

209 Livingston Bay Court Mishawaka, IN 46544-3897

Description : An 8 gauge steel sheet piling seawall is proposed along 30' of shoreline. Piling

will be capped with 4" angle iron and bolted to each panel. Deadmen will be placed every 9' along the wall. Backfill will be required. Details of the project are contained in information and plans received at the Division of Water on October

15, 2007 and October 25, 2007.

Location : 209 Livingston Bay Court, approximately 850' northwest of the Vistula Road and

Terry Lane intersection

near Mishawaka, Penn Township, St. Joseph County

NW¼, NE¼, NE¼, Section 13, T 37N, R 3E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4613032 North, 572919 East

Statute/Rule: Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway

Rule, 312 IAC 6

Application # : PL-20916

Lake : Clear Lake

Applicant : Steve Bryan Construction

Steve Bryan

211 South Main Street

Montgomery, MI 49255-9783

Description : A new glacial stone and concrete seawall will be constructed across 60' of the

applicant's 60' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing glacial stone and concrete seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on November 21, 2007 and December 11, 2007.

Location : 296 Clear Lake Drive; Lot 46 of Lakewood Addition

near Fremont, Clear Lake Township, Steuben County

NW1/4, NE1/4, NW1/4, Section 20, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle

Quad Code: 4108467

UTM Coordinates: Downstream 4623733 North, 680156 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20922

Lake : Oswego Lake

Applicant : Kenneth J Rock

106 EMS T29 LN Leesburg, IN 46538

Description : A existing concrete seawall on Oswego Lake is being undercut. A 24 inch wide

layer of field stone will be placed at the base of the wall for toe protection. The

field stone will vary from 4" to 12". Details of the project are contained in

information received electronically at the Division of Water on December 12, 2007

and in plans and information received at the Division of Water on

Location : 106 Ems T29 Ln; The project is located in Plain township in Kosciusko county

next to the dam on Oswego Lake

at Oswego, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20924

Lake : Tippecanoe Lake

Applicant : James Shrock

23 EMS T34D Lane Leesburg, IN 46538

Description : A new seawall will be constructed across 140' of the 140' frontage of the applicant

along Tippecanoe Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base to the top. The lakeward face of the wall will be at the legal shoreline. Details of the project are contained in information received electronically at the Division of Water on

December 13, 2007 and in plans and information received at the Division of

Water on

Location : 23 EMS T34D LN, North Side of Tippecanoe Lake,

Legal Description: 029-003-033 Lots 22 & 23 BLK B Old Mill Place SD.

near Leesburg, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11